



BECKER

Anaesthetic
and dressing
trolleys

INFORMATION

**106
E**

BECKER – Medical Equipment



Experience, reliable service and specialization are Becker's most prominent attributes. The enterprise started in 1946 as metal manufacturing business and has been actively engaged in the branch of medical technology for the past four decades. The manufacturing is only done in Germany.

The company is situated in the idyllic valley of „Rottal“ (in Bavaria) which is renown for its outstanding craftsmen. As a matter of company policy only high grade material is used for producing top quality medical products. The owners manage the business with pride and great care. One of the utmost customer advantages is that all manufacturing steps are done by a team of specialists. The entire workflow – customer consulting, all-round service, project planning, development, design, custom made products – handmade with precision instruments and machines –, custom made orders tailored to individual client needs, quality control, processing and on location assembly are done by an experienced team of specialists.

Custom made products are manufactured employing a flexible staff, which responds and adjusts to state of the art novelties and client requirements. Every new order entails new challenges and every hospital has individual project needs which our team is always looking forward to solving. We commit ourselves to bringing excellence and reliable high quality solutions to every customer and every project.

BECKER SYSTEMS for:

- wards
- out-patient departments
- operating rooms
- treatment rooms
- sterilization



Index

Page

Anaesthetic and dressing trolleys Width: 600 mm, Height: 860 mm	1.1
Anaesthetic and dressing trolleys Width: 600 mm, Height: 1010 mm	1.3
Worktop types, 600 mm width	1.5
Anaesthetic and dressing trolleys Width: 900 mm, Heights: 860 mm and 1010 mm	1.6
Worktop types, 900 mm width	1.8
Accessories for anaesthetic and dressing trolleys	1.9
Drawer dividers	1.15
Special purpose trolleys, fully equipped	1.16
ISO system trolleys	1.17
Module fittings for ISO system trolleys	1.21
Colors	1.22



Central locking system
available on request

BECKER

Quality and Cutting Edge



Anaesthetic and Dressing Trolleys

Main features:

- BECKER trolleys are made of high-impact, scratch-resistant steel that resists most chemicals.
- Double-walled, noise-damping frame construction; inner side walls and back plate formed as one unit.
- The floor plate is mounted on a stable tubular steel or tubular chrome nickel steel frame.
- The unit is mounted on four conductive 125-mm swivel castors, complete with thread guards and bumpers.
- Two of the castors are fitted with brakes. Retainer lock for unidirectional movement is available on request.

Dust-proof doors and drawers with all-round rubber gaskets.

- The doors are mounted on robust wide-angle hinges with a 180 ° opening angle.
- Drawers are equipped with full-extension drawer runners with safety stops.
- Trolleys with drawers have a single drawer mechanism to prevent tilting.
- Handles meet all hygiene standards.
- The worktops are made of either moulded plastic with an integrated guardrail or of chrome-nickel steel.

Accessories

- Mostly chrome nickel steel construction
Material AISI 304 (1.4301)
Polished surfaces (grain size 240/320).
- Extensive range of accessories to choose from.
- Select accessories for your individual needs from our wide range of products.



BECKER

BECKER SYSTEM SERIES

VR

Trolleys of the VR series are made of **chrome nickel steel, AISI 304 (1.4301).**

The surfaces are polished to grain 320 and are stainless, corrosion-resistant and non-magnetic.

BECKER SYSTEM SERIES

BR






Trolleys of the BR series are made from **electrolytically galvanized, phosphatized and chromium-plated thin sheet steel.**

The surfaces are powder-coated with mixed powders of epoxy resin and polyester.

Colors

- Body colours choicable:
RAL 1013 – Oyster white or RAL 9002 – Grey white
- Colors for doors and drawer fronts:
Freely selectable from BECKER color list
(see page 1.22)









	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.
	<p>Dressing and treatment trolley 2 doors, 2 steel shelves, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 2000K VR062 57 060 2000K</p>
	<p>Dressing and treatment trolley 2 drawers size 3; 2 doors, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 3100K VR062 57 060 3100K</p>
	<p>Dressing and treatment trolley 1 drawer size 3; 2 doors, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 3000K VR062 57 060 3000K</p>
	<p>Dressing and treatment trolley 4 drawers size 3; 1 door, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 3901K VR062 57 060 3901K</p>
	<p>Dressing and treatment trolley 2 drawers size 3; 1 drawer size 6 1 door, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 3902K VR062 57 060 3902K</p>
	<p>Anaesthetic trolley 3 drawers size 3, open compartment, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 7031K VR062 57 060 7031K</p>
	<p>Anaesthetic trolley 2 drawers size 3; 1 drawer size 6, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 7032K VR062 57 060 7032K</p>

ANAESTHETIC AND DRESSING TROLLEYS

Width: 600 mm, Height: 860 mm




	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	<p>Anaesthetic trolley 4 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 7040K VR062 57 060 7040K</p>	
	<p>Anaesthetic trolley 7 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 7071K VR062 57 060 7071K</p>	
	<p>Anaesthetic trolley 2 drawers size 1.5; 6 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 7081K VR062 57 060 7081K</p>	
	<p>Anaesthetic trolley 2 drawers size 1.5; 5 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 7072K VR062 57 060 7072K</p>	
	<p>Anaesthetic trolley 8 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 7082K VR062 57 060 7082K</p>	
	<p>Ward trolley 3 drawers size 2; 2 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 7051K VR062 57 060 7051K</p>	
	<p>Medications trolley 4 drawers size 1.5; 2 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 860 mm 600 x 600 x 860 mm</p>	<p>BR062 57 060 7061K VR062 57 060 7061K</p>	

	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.
	<p>Dressing and treatment trolley 2 drawers size 3; 2 doors, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 2000K VR077 57 060 2000K</p>
	<p>Dressing and treatment trolley 1 drawer size 3; 2 doors, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 3000K VR077 57 060 3000K</p>
	<p>Dressing and treatment trolley 5 drawers size 3; 1 door, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 3901K VR077 57 060 3901K</p>
	<p>Dressing and treatment trolley 3 drawers size 3; 1 door size 6, 1 door, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 3902K VR077 57 060 3902K</p>
	<p>Dressing and treatment trolley 3 drawers size 2; 2 doors, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 3400K VR077 57 060 3400K</p>
	<p>Anaesthetic trolley 3 drawers size 3; 1 door size 6, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 7041K VR077 57 060 7041K</p>

ANAESTHETIC AND DRESSING TROLLEYS

Width: 600 mm, Height: 1010 mm



	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	<p>Anaesthetic trolley 5 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 7050K VR077 57 060 7050K</p>	
	<p>Ward trolley 4 drawers size 2; 1 drawer size 3, 1 drawer size 4, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 7061K VR077 57 060 7061K</p>	
	<p>Anaesthetic trolley 9 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 7091K VR077 57 060 7091K</p>	
	<p>Anaesthetic trolley 2 drawers size 1.5; 8 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 7101K VR077 57 060 7101K</p>	
	<p>Anaesthetic trolley 2 drawers size 1.5; 7 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 7092K VR077 57 060 7092K</p>	
	<p>Anaesthetic trolley 2 drawers size 1.5; 4 drawers size 3, 1 drawer size 6, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 7071K VR077 57 060 7071K</p>	
	<p>Anaesthetic trolley 3 drawers size 2; 5 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 7081K VR077 57 060 7081K</p>	



Worktop types:






You have the possibility to choose from a variety of different worktops.
The white plastic worktop with the seamlessly moulded three-sided guardrail is the standard version.
To select a different type of worktop, change the last digit of the catalogue number to the letter corresponding to the desired type designation.

	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	Additional charge for Chrome nickel steel worktop with three-sided aluminium guardrail Final digit of order number A Chrome nickel steel worktop without guardrail available on request.	600 x 600 mm	_R0xx 57 060 xxxx A	
	Additional charge for Chrome nickel steel worktop with three-sided aluminium guardrail with top rails and two transverse rails Final digit of order number AR	600 x 600 mm	_R0xx 57 060 xxxx AR	
	Additional charge for Plastic worktop with protective surround, white Final digit of order number R	600 x 600 mm	_R0xx 57 060 xxxx R	
	Chrome nickel steel plate for moulded plastic worktops „K“ or „R“	600 x 600 mm	110009	
	Baby changing pad artificial leather, white (Repeat orders: specify worktop type).	600 x 600 x 50 mm	110010	
	Baby changing pad with removable padded guard on 3 sides, artificial leather, white (Repeat orders: specify worktop type).	600 x 600 x 50/100 mm	110015	

ANAESTHETIC AND DRESSING TROLLEYS

Width: 900 mm, Height: 860 mm



	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.
	<p>Dressing and treatment trolley 2 doors, 2 steel shelves, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>900 x 600 x 860 mm 900 x 600 x 860 mm</p>	<p>BR062 57 090 2000K VR062 57 090 2000K</p>
	<p>Dressing and treatment trolley 2 drawers size 3; 2 doors, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>900 x 600 x 860 mm 900 x 600 x 860 mm</p>	<p>BR062 57 090 3100K VR062 57 090 3100K</p>
	<p>Dressing and treatment trolley 5 drawers size 3; 2 doors, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>900 x 600 x 860 mm 900 x 600 x 860 mm</p>	<p>BR062 57 090 3901K VR062 57 090 3901K</p>
	<p>Dressing and treatment trolley 5 drawers size 3; 1 door, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>900 x 600 x 860 mm 900 x 600 x 860 mm</p>	<p>BR062 57 090 3902K VR062 57 090 3902K</p>
	<p>Dressing and treatment trolley pull-out tray, 4 drawers size 3, 1 drawer size 2; 1 door, 1 steel shelf, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>900 x 600 x 860 mm 900 x 600 x 860 mm</p>	<p>BR062 57 090 3903K VR062 57 090 3903K</p>
	<p>Dressing and treatment trolley 4 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>900 x 600 x 860 mm 900 x 600 x 860 mm</p>	<p>BR062 57 090 7040K VR062 57 090 7040K</p>
	<p>Dressing and treatment trolley 7 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>900 x 600 x 860 mm 900 x 600 x 860 mm</p>	<p>BR062 57 090 7071K VR062 57 090 7071K</p>

ANAESTHETIC AND DRESSING TROLLEYS

Width: 900 mm, Height: 860 mm

	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.
	<p>Dressing and treatment trolley 5 drawers size 3; 1 drawer size 6 below, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>900 x 600 x 860 mm 900 x 600 x 860 mm</p>	<p>BR062 57 090 7061K VR062 57 090 7061K</p>
	<p>Dressing and treatment trolley 5 drawers size 3; 1 drawer size 6 middle, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>900 x 600 x 860 mm 900 x 600 x 860 mm</p>	<p>BR062 57 090 7062K VR062 57 090 7062K</p>
	<p>Dressing and treatment trolley 6 drawers size 2; 3 drawers size 4, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>900 x 600 x 860 mm 900 x 600 x 860 mm</p>	<p>BR062 57 090 7091K VR062 57 090 7091K</p>

DRESSING AND TREATMENT TROLLEYS

Width: 900 mm, Height: 1010 mm

	<p>Dressing and treatment trolley 2 drawers size 1.5; 6 drawers size 3, 1 door, 1 steel shelf, push handle on one side, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel</p>	<p>900 x 600 x 1010 mm</p>	<p>BR077 57 090 3905K</p>
	<p>Dressing and treatment trolley 6 drawers size 3; 1 drawer size 6, push handle on one side, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel</p>	<p>900 x 600 x 1010 mm</p>	<p>BR077 57 090 7073K</p>

WORKTOP TYPES, CHROME NICKEL STEEL PLATE, BABY CHANGING PADS
Width: 900 mm, Depth: 600 mm

BECKER



Worktop types:

You have the possibility to choose from a variety of different worktops. The white plastic worktop with the seamlessly moulded three-sided guardrail is the standard version. To select a different type of worktop, change the last digit of the catalogue number to the letter corresponding to the desired type designation.

	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.
	Additional charge for Chrome nickel steel worktop with three-sided aluminium guardrail Final digit of order number A Chrome nickel steel worktop without guardrail available on request.	900 x 600 mm	_R0xx 57 090 xxxx A
	Additional charge for Chrome nickel steel worktop with three-sided aluminium guardrail with top rails and two transverse rails Final digit of order number AR	900 x 600 mm	_R0xx 57 090 xxxx AR
	Additional charge for Moulded plastic worktop with guard on 4 sides and removable compartment dividers, white Final digit of order number S	900 x 600 mm	_R0xx 57 090 xxxx S
	Chrome nickel steel plate for moulded plastic worktop „K“	900 x 600 mm	110019
	Baby changing pad artificial leather, white (Repeat orders: specify worktop type).	900 x 600 x 50 mm	110020
	Baby changing pad with removable padded guard on 3 sides, artificial leather, white (Repeat orders: specify worktop type).	900 x 600 x 50/100 mm	110025

	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	Dispenser for syringes 3 tilting bins with chrome nickel steel bracket	600 x 200 x 360 mm	110110	
	Dispenser for syringes 3 tilting bins with chrome nickel steel bracket First in/First out system	600 x 200 x 360 mm	110115	
	Dispenser for small items 4 tilting bins with chrome nickel steel bracket	600 x 170 x 320 mm	110120	
	Dispenser for cannulas 5 tilting bins with chrome nickel steel bracket	600 x 140 x 280 mm	110130	
	Dispenser for cannulas 3 tilting bins with chrome nickel steel bracket First in/First out system	600 x 140 x 280 mm	110135	
	Dispenser for syringes and cannulas 3 large and 5 small tilting bins with chrome nickel steel bracket	600 x 200 x 520 mm	110140	
	Dispenser for syringes and cannulas 3 large and 5 small tilting bins with chrome nickel steel bracket First in/First out system	600 x 200 x 520 mm	110145	
	Dispenser for small items and cannulas 2 x 4 tilting bins with chrome nickel steel bracket	600 x 170 x 530 mm	110150	
	Dispenser for small items and cannulas 4 large and 5 small tilting bins with chrome nickel steel bracket	600 x 170 x 490 mm	110160	
	Dispenser for small items and cannulas 2 x 5 tilting bins with chrome nickel steel bracket	600 x 140 x 440 mm	110170	
	Dispenser for small items and cannulas 2 x 5 tilting bins with chrome nickel steel bracket First in/First out system	600 x 140 x 440 mm	110175	

ACCESSORIES FOR ANAESTHETIC AND DRESSING TROLLEYS



	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	<p>Combiset swab and moisturizer</p> <p>suitable for all dispensers</p>		110180	
	<p>Chrome nickel steel tray for dispensers</p> <p>order no. 110110 and 110115</p> <p>order no. 110120 and 110150</p> <p>order no. 110130, 110135, 110140, 110145, 110160, 110170 and 110175</p>	<p>600 x 170 x 20 mm</p> <p>600 x 140 x 20 mm</p> <p>600 x 110 x 20 mm</p>	<p>110190</p> <p>110193</p> <p>110196</p>	
	<p>Plastic waste container ABS plastic, grey, 8 l, knee-operated</p> <p>Roll of 48 plastic bags (15 l)</p>	220 x 200 x 380 mm	<p>110210</p> <p>110228</p>	
	<p>Plastic waste container with lid and 1 roll of 48 plastic bags (15 l)</p> <p>Side wall-mounted</p> <p>Inserts into standard rail</p> <p>Chrome nickel steel waste container with lid and 1 roll of 48 plastic bags (15 l)</p> <p>Side wall-mounted</p> <p>Inserts into standard rail</p>	<p>300 x 210 x 440 mm</p> <p>285 x 180 x 400 mm</p>	<p>110220</p> <p>110221</p> <p>110225</p> <p>110226</p>	
	<p>Waste disposal set A with plastic waste container</p> <p>Waste disposal set B with chrome nickel steel waste container</p> <p>Spare roll of 48 plastic bags (15 l)</p>		<p>110240</p> <p>110245</p> <p>110228</p>	
	<p>Chrome nickel steel holder with polypropylene (PP) container with closed lid with slotted lid</p> <p>Wire sieve tray chrome nickel steel suitable for polypropylene containers</p> <p>PP-containers see brochure „Flexible shelf system“</p>	<p>300 x 225 x 130 mm</p> <p>245 x 175 x 100 mm</p>	<p>110250</p> <p>110255</p> <p>120690</p>	

	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	Holder with bowl chrome nickel steel	352 x 325 x 65 mm	110260	
		352 x 325 x 100 mm	110263	
		352 x 325 x 200 mm	110266	
	Chrome nickel steel lid for bowl	352 x 325 mm	110268	
	Holder with bucket 10 l chrome nickel steel Side wall-mounted		110270	
	Inserts into standard rail		110271	
	Chrome nickel steel lid for bucket 10 l	Ø 300 mm	110273	
	Chrome nickel steel bucket 10 l	Ø 300 x 250 mm	110278	
	Holder with tray chrome nickel steel swing-out (1 piece)	235 x 190 x 40 mm	110280	
	Chrome nickel steel tray	235 x 190 x 40 mm	110288	
	Chrome nickel steel catheter receptacle 3 compartments	160 x 80 x 570 mm		
	Side wall-mounted		110300	
	Inserts into standard rail		110301	
	For hanging on guard of moulded plastic worktops with guard on 3 sides		110305	
	Ampoule opener with collecting bin and diamond file side wall-mounted	160 x 70 x 190 mm	110310	
	Ampoule opener with collecting bin and diamond file plus ergonomically raised holder	160 x 70 x 190 mm	110315	

ACCESSORIES FOR ANAESTHETIC AND DRESSING TROLLEYS



	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	<p>Disinfectant dispenser with 1 bottle of disinfectant / cleansing agent</p> <p>Side wall-mounted</p> <p>Inserts into standard rail</p>		<p>110320</p> <p>110321</p>	
	<p>Disinfectant dispenser with drip tray and 1 bottle of disinfectant / cleansing agent</p> <p>Side wall-mounted</p> <p>Inserts into standard rail</p>		<p>110325</p> <p>110326</p>	
	<p>Chrome nickel steel bottle rack with holder for guard</p>	315 x 120 x 130 mm	110330	
	<p>Infusion bottle holder with 4 hooks, chrome nickel steel, maximum height adjustment: 700 mm side wall-mounted</p>		110340	
	<p>Endoscope holder adjustable in height; swivels, maximum height adjustment: 700 mm side wall-mounted</p>		110345	
	<p>Polypropylene disposal containers set of 10, with holder</p> <p>Side wall-mounted</p> <p>Inserts into standard rail</p>	Ø 140 x 145 mm	<p>110350</p> <p>110351</p>	
	<p>Chrome nickel steel standard rail side wall-mounted</p>	25 x 10 x 500 mm	110360	


	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	<p>Pair of chrome nickel steel hooks side wall-mounted</p>		110370	
	<p>ISO standard basket support made of chrome nickel steel (without basket)</p>	300 x 400 mm	110380	
	<p>Low-voltage halogen spot lamp 3 m cable, 230 V ac with mounting clamp</p>		110390	
	<p>Adhesive tape dispenser chrome nickel steel for mounting on guard of moulded plastic worktops with guard on 3 sides</p>		110400	
	<p>Chart board may be clipped on guard of moulded plastic worktops with guard on 3 sides</p>		110410	
	<p>5-socket connector strip with power indicator light and 2.2 m cable</p>		110420	
	<p>Chrome-nickel steel shelf for defibrillator or monitor adjustable in height, swivels</p>		110430	

ACCESSORIES FOR ANAESTHETIC AND DRESSING TROLLEYS




	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	<p>CPR board with chrome-nickel steel mount</p>	800 x 490 x 15 mm	110435	
	<p>Security seals for each drawer</p> <p>Seals, 100 pieces/package</p>		110440	
	<p>Chrome nickel steel extension, fold-down, smooth</p> <p>for trolley BR/VR... 57 060/090</p> <p>for trolley BR/VR... 52 066</p> <p>for trolley BR/VR... 67 090</p> <p><u>Please note:</u> The extension is mounted on the right side, so there is no push handle.</p> <p>Additional push handle on request</p>	<p>500 x 600 x 33 mm</p> <p>500 x 550 x 33 mm</p> <p>500 x 700 x 33 mm</p>	<p>110450</p> <p>110453</p> <p>110456</p>	
	<p>Castor with retainer lock for unidirectional movement</p> <p>(Must be ordered with trolley. Not retrofittable.)</p>		110470	
	<p>Rack with two standard rails chrome-nickel steel</p> <p>for 600 mm trolleys</p> <p>for 900 mm trolleys</p>		<p>110480</p> <p>110485</p>	
	<p>Glove dispenser accommodates 3 standard-size glove boxes variably adjustable chrome-nickel steel</p> <p>Side wall-mounted</p> <p>Inserts into standard rail</p>	450 x 115 x 300 mm	<p>110490</p> <p>110495</p>	

DRAWER DIVIDERS FOR ANAESTHETIC AND DRESSING TROLLEYS

	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	<p>Polystyrene drawer divider white, with 9 compartments for: drawer size 1.5 (75 mm high) and drawer size 2 (100 mm high) 600 mm wide, 600/570 mm deep</p>	503 x 467 x 28 mm	110500	
	<p>Polystyrene drawer divider white, with 15 compartments for: drawer size 1.5 (75 mm high) and drawer size 2 (100 mm high) 600 mm wide, 600/570 mm deep</p>	503 x 467 x 28 mm	110505	
	<p>Polystyrene drawer divider white, with 4 compartments for: drawer size 3 (150 mm high) 300 mm wide, 600/570 mm deep</p>	203 x 467 x 50 mm	110510	
	<p>Polystyrene drawer divider white, with 6 compartments for: drawer size 3 (150 mm high) 450 mm wide, 600/570 mm deep</p>	353 x 467 x 57 mm	110520	
	<p>Polystyrene drawer divider white, with 9 compartments for: drawer size 3 (150 mm high) 600 mm wide, 600/570 mm deep</p>	503 x 467 x 57 mm	110530	
	<p>Please refer to our separate brochure „BECKER Drawer Dividers“ for more drawer divider options.</p>			

SPECIAL PURPOSE TROLLEYS

	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	<p>Emergency trolley 2 drawers with divider for ampoules 1 drawer with divider for infusion bottles 250 ml, lying, open compartment for emergency kit, push handle, plastic worktop with protective surround, white; 4 castors, 2 with brakes</p> <p><i>With the following accessories:</i></p> <ul style="list-style-type: none"> • 5-socket connector strip, • Infusion holder, 4 hooks • Chrome nickel steel standard rail 25/10 mm • Mount for Weinmann resuscitation unit • Mount with CPR board 800 x 490 x 15 mm <p>Material: powder-coated sheet steel</p>	<p>600 x 600 x 860 mm</p>	<p>BR062 57 060 NOT1</p>	
	<p>Plaster table 6 drawers, first drawer with movable divider for plaster 4-20 cm, chrome nickel worktop with protective surround; 4 castors, 2 with brakes</p> <p><i>With:</i></p> <ul style="list-style-type: none"> • Fold-down chrome nickel steel extension, 500 x 600 x 33 mm • Chrome nickel steel holder with plaster bowl 350 x 320 x 200 mm • Plastic waste bag <p>Material: powder-coated sheet steel</p> <p>Material: chrome nickel steel, with stainless steel waste container (instead of plastic waste bag)</p>	<p>900 x 600 x 860 mm 900 x 600 x 860 mm</p>	<p>BR062 57 090 GIPS VR062 57 090 GIPS</p>	
	<p>Ward round trolley <i>Inside:</i></p> <ul style="list-style-type: none"> • Rails for hanging DIN A3 charts crosswise • Insert with rails for hanging DIN A4 charts crosswise • 1 chrome-nickel steel tray/lid unit • 1 china cup <p>Split cover lid, full-core, high-pressure laminate panels (e.g., Trespa) lockable; one flap can be used as a writing surface; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>700 x 560 x 840 mm 700 x 560 x 840 mm</p>	<p>BR062 57 070 VIS1 VR062 57 070 VIS1</p>	
	<p>Gynaecological instrument trolley switch panel, 4 drawers size 2 with heating element, 2 drawers size 3, push handle, moulded plastic worktop with guard on 3 sides, white; 4 castors, 2 with brakes</p> <p>Material: powder-coated sheet steel Material: chrome nickel steel</p>	<p>600 x 600 x 1010 mm 600 x 600 x 1010 mm</p>	<p>BR077 57 060 GYN1 VR077 57 060 GYN1</p>	



ISO system trolley, width: 660 mm, depth: 550/520 mm

without module fittings,
side-mounted push handle,
moulded plastic worktop
with guard on 3 sides, white;
four 125-mm castors, 2 with brakes

	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	<p>ISO system trolley 2 doors suitable for mounting one pair of inside panels with slots for modules</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 860 mm	BR062 52 066 2000K	
	<p>ISO system trolley 1 module frame size 2 (100 mm) for one module 600/400/50 mm, 2 doors suitable for mounting one pair of inside panels with slots for modules</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 860 mm	BR062 52 066 4600K	
	<p>ISO system trolley 2 module frames size 3 (150 mm) each for one module 600/400/100 mm, 1 module frame size 6 (300 mm) for one module 600/400/200 mm</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 860 mm	BR062 52 066 8031K	
	<p>ISO system trolley 4 module frames size 3 (150 mm) each for one module 600/400/100 mm</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 860 mm	BR062 52 066 8040K	
	<p>ISO system trolley 1 module frame size 2 (100 mm) for one module 600/400/50 mm, 2 module frames size 3 (150 mm) and 1 module frame size 4 (200 mm) each for one module 600/400/100 mm</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 860 mm	BR062 52 066 8042K	
	<p>ISO system trolley 2 module frames size 2 (100 mm) each for one module 600/400/50 mm, 1 module frame size 3 (150 mm) and 1 module frame size 5 (250 mm) each for one module 600/400/100 mm</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 860 mm	BR062 52 066 8043K	

ISO SYSTEM TROLLEY

Height: 860 mm




	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.
	<p>ISO system trolley 3 module frames size 2 (100 mm) each for one module 600/400/50 mm, 2 module frame size 3 (150 mm) each for one module 600/400/100 mm</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 860 mm	BR062 52 066 8051K
	<p>ISO system trolley 6 module frames size 2 (100 mm) each for one module 600/400/50 mm</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 860 mm	BR062 52 066 8060K



ISO system trolley, width: 900 mm, depth: 700 mm

without module fittings,
side-mounted push handle,
moulded plastic worktop
with guard on 3 sides, white;
four 125-mm castors, 2 with brakes

	<p>ISO system trolley with central partition, 2 doors, suitable for mounting two pairs of inside panels with slots for modules</p> <p>Material: powder-coated sheet steel</p>	900 x 700 x 860 mm	BR062 67 090 2002K
	<p>ISO system trolley with central partition, 2 module frames size 2 (100 mm) each for one module 600/400/50 mm, 2 doors suitable for mounting two pairs of inside panels with slots for modules</p> <p>Material: powder-coated sheet steel</p>	900 x 700 x 860 mm	BR062 67 090 4502K
	<p>ISO system trolley with central partition, 2 module frames size 3 (150 mm) each for one module 600/400/100 mm, 2 doors suitable for mounting two pairs of inside panels with slots for modules</p> <p>Material: powder-coated sheet steel</p>	900 x 700 x 860 mm	BR062 67 090 4102K



ISO system trolley, width: 660 mm, depth: 550/520 mm


without module fittings,
side-mounted push handle,
moulded plastic worktop
with guard on 3 sides, white;
four 125-mm castors, 2 with brakes

	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.
	<p>ISO system trolley 2 doors suitable for mounting one pair of inside panels with slots for modules</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 1010 mm	BR077 52 066 2000K
	<p>ISO system trolley 1 module frame size 2 (100 mm) for one module 600/400/50 mm, 2 doors suitable for mounting one pair of inside panels with slots for modules</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 1010 mm	BR077 52 066 4600K
	<p>ISO system trolley 1 module frame size 3 (150 mm) and 3 module frames size 4 (200 mm) each for one module 600/400/100 mm</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 1010 mm	BR077 52 066 8041K
	<p>ISO system trolley 1 module frame size 2 (100 mm) for one module 600/400/50 mm, 1 module frame size 3 (150 mm) and 1 module frame size 4 (200 mm) each for one module 600/400/100 mm, 1 module frame size 6 (300 mm) for one module 600/400/200 mm</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 1010 mm	BR077 52 066 8043K
	<p>ISO system trolley 5 module frames size 3 (150 mm) each for one module 600/400/100 mm</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 1010 mm	BR077 52 066 8050K
	<p>ISO system trolley 2 module frames size 2 (100 mm) each for one module 600/400/50 mm, 1 module frame size 3 (150 mm) and 2 module frames size 4 (200 mm) each for one module 600/400/100 mm</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 1010 mm	BR077 52 066 8051K

ISO SYSTEM TROLLEY

Height: 1010 mm








	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.
	<p>ISO system trolley 3 module frames size 2 (100 mm) each for one module 600/400/50 mm, 1 module frame size 3 (150 mm) for one module 600/400/100 mm, 1 module frame size 6 (300 mm) for one module 600/400/200 mm</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 1010 mm	BR077 52 066 8052K
	<p>ISO system trolley 6 module frames size 2 (100 mm) each for one module 600/400/50 mm, 1 module frame size 3 (150 mm) for one module 600/400/100 mm</p> <p>Material: powder-coated sheet steel</p>	660 x 550 x 1010 mm	BR077 52 066 8071K



ISO system trolley, width: 900 mm, depth: 700 mm

without module fittings,
 side-mounted push handle,
 moulded plastic worktop
 with guard on 3 sides, white;
 four 125-mm castors, 2 with brakes

	<p>ISO system trolley with central partition, 2 doors, suitable for mounting two pairs of inside panels with slots for modules</p> <p>Material: powder-coated sheet steel</p>	900 x 700 x 1010 mm	BR077 67 090 2002K
	<p>ISO system trolley with central partition, 2 module frames size 2 (100 mm) each for one module 600/400/50 mm, 2 doors suitable for mounting two pairs of inside panels with slots for modules</p> <p>Material: powder-coated sheet steel</p>	900 x 700 x 1010 mm	BR077 67 090 4502K
	<p>ISO system trolley with central partition, 2 module frames size 3 (150 mm) each for one module 600/400/100 mm, 2 doors suitable for mounting two pairs of inside panels with slots for modules</p> <p>Material: powder-coated sheet steel</p>	900 x 700 x 1010 mm	BR077 67 090 4102K

	DESCRIPTION	DIMENSIONS (WxDxH)	ORDER NO.	
	Module tray	600 x 400 x 50 mm	110600	
	Partition 600 mm	600 x 50 mm	110603	
	Partition 400 mm	400 x 50 mm	110606	
	Module tray	600 x 400 x 100 mm	110610	
	Partition 600 mm	600 x 100 mm	110613	
	Partition 400 mm	400 x 100 mm	110616	
	Module basket	600 x 400 x 100 mm	110620	
	Partition 600 mm	600 x 100 mm	110613	
	Partition 400 mm	400 x 100 mm	110616	
	Module basket	600 x 400 x 200 mm	110630	
	Partition 600 mm	600 x 200 mm	110633	
	Partition 400 mm	400 x 200 mm	110636	
	Safety stop for tray and basket modules (two stops per tray/basket module required)		110680	
	Clip-on label holder with cover for paper labels up to 57 x 38 mm		110685	
	Pair of inside panels with slots for modules for one compartment (1 x left, 1 x right) ISO system trolleys 550/520 mm deep Factory-mounted		110700	
	Pair of inside panels with slots for modules for one compartment (1 x left, 1 x right) ISO system trolleys 700/670 mm deep Factory-mounted		110710	

COLORS

All **BECKER** anaesthetic and dressing trolleys are custom made. Special customer color requests can be accommodated in the BR series. Please include your color specifications in your order.

The trolleys are finished with high quality powder-coated sheet steel using an 80 - 95 gloss level according to ISO 2813 at a 60° angle. This procedure offers shock and scratch resistance, it is easy to clean and remains stable under disinfectant treatment and climatic influences.

Trolley body

You can choose between the colors





for series produced powder-coated sheet steel trolley bodies. For an extra charge the body can be powder-coated in any of the additional colors from the BECKER color list.

Front elements like doors and drawer fronts

Select from the following colors (no extra charge):

BECKER COLOR LIST

	RAL 1007 Daffodil yellow		RAL 4003 Heather violet		RAL 6000 Patina green
	RAL 1013 Oyster white		RAL 4005 Blue lilac		RAL 6019 Pastel green
	RAL 1015 Light ivory		RAL 4006 Traffic purple		RAL 6021 Pale green
	RAL 1018 Zinc yellow		RAL 4008 Signal violet		RAL 6027 Light green
	RAL 1034 Pastel yellow		RAL 4009 Pastel violet		RAL 6033 Mint turquoise
	RAL 2012 Salmon orange		RAL 5002 Ultramarine blue		BFC 50272 Bright green*
	RAL 3001 Signal red		RAL 5014 Pigeon blue		RAL 7035 Light grey
	RAL 3014 Antique pink		RAL 5015 Sky blue		RAL 7036 Platinum grey
	RAL 3017 Rose		RAL 5018 Turquoise blue		RAL 9001 Cream**
	RAL 3022 Salmon pink		RAL 5022 Night blue		RAL 9002 Grey white
	RAL 4001 Red lilac		RAL 5024 Pastel blue		RAL 9010 Pure white**
	RAL 4002 Red violet		BFC 1924 Light blue*		

(Colors might differ for printing reasons.)

* 15 - 25 gloss level (matt)

** Should you decide for front elements in Cream (RAL 9001) or Pure white (RAL 9010), we recommend choosing the same color for the body, for an extra charge.

Handles

All trolleys of the BR and VR series have chrome nickel steel handles. Handles coated in a color from the Becker color list are available for an extra charge.

Different colors and powder-coatings are available on request for an extra charge.

BECKER



Becker quality steel furniture and equipment have been in use in hospitals and medical centers for decades. Optimum use of available space is achieved through an extensive line of programmes and sizes.

Special designs and individual choice of colors as well as custom-built systems offer an enormous variety of options to the customer.

Metallwarenfabrik
Walter H. Becker GmbH
Anzenkirchener Straße 4
D-84371 Triftern

Telefon +49(0)8562 9605-0
Telefax +49(0)8562 2434
becker.triftern@t-online.de
www.becker-triftern.de

BECKER SYSTEMS for:

- wards
- out-patient departments
- operating rooms
- treatment rooms
- sterilization